

June
2026
EU




NORDEX

TRUCK TIRES

Every road deserves
great tires.

**Born in the north.
Ready for the world.**





Nordexx is a global tire brand with Nordic roots, making it easy for distributors worldwide to cover multiple segments with strong, reliable tires at a competitive price point.

Nordexx delivers tires that are strong, dependable, and built to perform in all conditions. Summer, winter and all-season. Enabling you to offer a product range that sells across multiple seasons and applications.

Nordexx is on the path to becoming a full-range tire brand, making it an attractive choice for new customers and providing distributors with a simple way to expand their portfolio.

The range covers nearly all vehicle segments, from passenger cars and SUVs to vans, trucks, buses and heavier applications, allowing you to consolidate volume across fewer brands while still meeting diverse customer needs.

Nordexx tires are developed according to European standards. By combining European expertise with competitive pricing, Nordexx makes “premium performance” accessible to a broader market.

For us, it is about making your business easier: Clear value for money, a scalable product program, and the flexibility to work with both local stock supply and direct delivery models depending on your setup.



TRUCK TIRES

MULTI 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
17.5"											
215/75R17.5	135/133J	12,5	25,3	6.00	D	D	B	73	✓	Steer/Trailer	Regional/Long Distance
235/75R17.5	143/141J	13,3	30,0	6.75	D	D	B	73	✓	Steer/Trailer	Regional/Long Distance
19.5"											
265/70R19.5	143/141J	14,0	37,4	7.50	D	D	B	73	✓	Steer/Trailer	Regional/Long Distance
22.5"											
295/80R22.5	154/149 M	14,0	54,3	9.00	C	C	B	73	✓	Steer/Trailer	Regional/Long Distance
315/70R22.5	156/150 L	14,0	55,5	9.00	C	C	B	73	✓	Steer/Trailer	Regional/Long Distance
315/80R22.5	154/151 M	14	57,2	9.00	C	C	B	73	✓	Steer/Trailer	Regional/Long Distance
385/55R22.5	160 K	13	58,7	12.25	C	B	B	73	✓	Steer/Trailer	Regional/Long Distance
385/55R22.5	164 K	13	61,2	12.25	B	B	B	73	✓	Steer/Trailer	Regional/Long Distance
385/65R22.5	160 K	14	63,1	11.75	C	C	B	73	✓	Steer/Trailer	Regional/Long Distance
385/65R22.5	164 K	14	65,9	11.75	C	C	B	73	✓	Steer/Trailer	Regional/Long Distance

MULTI 10



Scan or click
to see
EPREL

215/75R17.5

Awaits
EPREL

235/75R17.5

Awaits
EPREL

265/70R19.5

Awaits
EPREL

295/80R22.5



315/70R22.5



315/80R22.5



385/65R22.5 (1)



385/65R22.5 (2)



385/55R22.5 (1)



385/55R22.5 (2)

Awaits
EPREL

MULTI 15

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
385/65R22.5	160 K	15,0	74,5	11.75	C	C	B	74	✓	Steer/Trailer	Regional/Long Distance
385/65R22.5	164 K	15,0	75,4	11.75	B	C	B	74	✓	Steer/Trailer	Regional/Long Distance

MULTI 20

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
13R22.5	156/151 K	16,0	66,4	9.75	D	C	B	73	-	All position	Regional/Long Distance

MULTI 25

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
315/80R22.5	154/151M	16,5	64,0	9.00	D	C	B	73	-	All position	Regional/Long Distance

MULTI 15



MULTI 20



MULTI 25



Scan or click
to see **EPREL**

385/65R22.5 (1)



385/65R22.5 (2)



Scan or click
to see **EPREL**

13R22.5



Scan or click
to see **EPREL**

315/80R22.5

Awaits
EPREL

TRUCK TIRES

TRAILER 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
17.5"											
215/75R17.5	135/133 J	15,0	27,0	6.00	D	C	B	71	-	Trailer	Regional/Long Distance
235/75R17.5	143/141 J	13,3	31,1	6.75	D	C	B	71	-	Trailer	Regional/Long Distance
19.5"											
265/70R19.5	143/141 J	16,0	36,5	7.50	D	C	B	71	-	Trailer	Regional/Long Distance

TRAILER 15

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
17.5"											
245/70R17.5	143/141 J	15,0	31,1	7.50	D	C	B	71	✓	Trailer	Regional/Long Distance

TRAILER 20

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
19.5"											
435/50R19.5	160 J	14,0	67,9	14.00	D	C	B	73	✓	Trailer	Regional/Long Distance
445/45R19.5	160 L	14,0	65,3	14.00	B	C	B	73	✓	Trailer	Regional/Long Distance

TRAILER 10



Scan or click to see EPREL



215/75R17.5



235/75R17.5



265/70R19.5

TRAILER 15



Scan or click to see EPREL



245/70R17.5

TRAILER 20



Scan or click to see EPREL



435/50R19.5



445/45R19.5



STEER 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
295/60R22.5	150/147 K	19,0	46,2	9.00	D	C	B	73	✓	Steer	Regional/Long Distance
315/60R22.5	154/150 L	18,0	58,0	9.75	D	C	B	73	✓	Steer	Regional/Long Distance

Whatever you drive,
drive Nordexx.

STEER 10



Scan or click
to see EPREL

295/60R22.5



315/60R22.5



TRUCK TIRES

TRAC 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
295/60R22.5	150/147 K	19,0	49,9	9.00	E	C	B	74	✓	Drive	Regional/Long Distance
315/60R22.5	152/148 M	18,0	57,5	9.75	E	C	B	74	✓	Drive	Regional/Long Distance

TRAC 15

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
295/80R22.5	152/149 L	19,0	58,1	9.00	E	C	A	73	✓	Drive	Regional/Long Distance
315/70R22.5	154/150 L	17,0	58,2	9.00	E	C	B	75	✓	Drive	Regional/Long Distance
315/80R22.5	154/151 M (156/153) L	20,0	63,6	9.00	C	C	A	73	✓	Drive	Regional/Long Distance

TRAC 25

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
315/70R22.5	154/150 L	18,0	58,7	9.00	D	C	B	75	✓	Drive	Regional/Long Distance
315/80R22.5	157/154 K	18,0	64,6	9.00	D	C	B	75	✓	Drive	Regional/Long Distance

TRAC 10



Scan or click
to see **EPREL**



295/60R22.5



315/60R22.5

TRAC 15



Scan or click
to see **EPREL**



295/80R22.5



315/70R22.5



315/80R22.5

TRAC 25



Scan or click
to see **EPREL**



315/70R22.5



315/80R22.5

TRACCON 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise dB	3PMSF	Position	Application
22.5"										
315/80R22.5	154/151 L	23,0	73,3	9.00	E	B	B 74	✓	Drive	Regional, Construction

TRACCON 15

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise dB	3PMSF	Position	Application
22.5"										
13R22.5	156/151 K	19,0	70,2	9.75	D	B	B 74	✓	Drive	Regional, Construction
315/80R22.5	157/154 K	19,0	65,5	9.00	D	D	B 74	✓	Drive	Regional, Construction

MULTICON 10

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise dB	3PMSF	Position	Application
22.5"										
385/65R22.5	160 K (158 L)	18,0	73,8	11.75	D	C	B 73	✓	Steer/Trailer	Regional, Construction
385/65R22.5	164 K	18,0	74,8	11.75	D	C	B 73	✓	Steer/Trailer	Regional, Construction
425/65R22.5	165 K	18,0	90,6	12.25	D	C	B 73	✓	Steer/Trailer	Regional, Construction
445/65R22.5	169 K	18,0	94,6	13.00	D	C	B 73	✓	Steer/Trailer	Regional, Construction

TRACCON 10



Scan or click
to see **EPREL**

315/80R22.5



TRACCON 15



Scan or click
to see **EPREL**

13R22.5



315/80R22.5



MULTICON 10



Scan or click
to see **EPREL**

385/65R22.5 (2)



425/65R22.5



445/65R22.5



385/65R22.5 (1)



TRUCK TIRES

TRAC 10W

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
295/80R22.5	154/149 L	21,0	65,9	9.00	E	C	B	74	✓	Drive	Regional/Long Distance
315/70R22.5	154/150 K	19,0	67,8	9.00	E	C	B	74	✓	Drive	Regional/Long Distance
315/80R22.5	156/153 K	21,0	70,9	9.00	E	C	B	74	✓	Drive	Regional/Long Distance

STEER 10W

Dimension	Index	Tread depth mm	Weight in kg	Rim standard	Fuel	Grip	Noise	dB	3PMSF	Position	Application
22.5"											
315/70R22.5	156/150 L	17,0	64,1	9.00	E	C	B	73	✓	Steer	Regional/Long Distance
315/80R22.5	154/151 M	18,0	64,1	9.00	E	C	B	73	✓	Steer	Regional/Long Distance
385/65R22.5	164K	16,0	77,7	11.75	E	C	B	73	✓	Steer	Regional/Long Distance

TRAC 10W



STEER 10W



Scan or click
to see **EPREL**



295/80R22.5



315/70R22.5



315/80R22.5

Scan or click
to see **EPREL**



315/70R22.5



315/80R22.5

385/65R22.5

Awaits
EPREL



**Engineered by
European standards.
Trusted worldwide.**



NORDEX

NDI A/S
Merkurvej 7
DK-6650 Brørup
www.nordexx.com

info@nordexx.com
Phone + 45 76 15 10 50